


TYPICAL NOTES

- (1) 5/8" THICK GYPSUM WALLBOARD, TYPE X, ONE LAYER EACH SIDE.
- (2) 5/8" THICK GYPSUM WALLBOARD, TYPE X.
- (3) FOR LOW CEILING, SEE REFLECTED CEILING PLAN.
- (4)
- (5)
- (6) 1/2" THICK GYPSUM WALLBOARD, TYPE X, TWO LAYERS EACH SIDE.
- (7) 1/2" THICK GYPSUM WALLBOARD, TYPE X.
- (8) 1/2" THICK GYPSUM WALLBOARD, WATER RESISTANT.
- (9)
- (10)
- (11) NOTCH GYPSUM WALLBOARD AROUND FRAMING PENETRATIONS AND PACK WITH COMPRESSIBLE MINERAL FIBER (THERMAFIBER).
- (12) FILL ALL VOIDS CONTINUOUSLY AS SHOWN WITH COMPRESSIBLE MINERAL FIBER (THERMAFIBER). SEE NOTE 7 DRAWING A-1.
- (13) TAPE AND SPACKLE ALL JOINTS, TYPICAL.
- (14) STAGGER, LAPED GYPSUM WALLBOARD JOINTS, 12" MINIMUM.
- (15) REPLACE ALL REMOVED FIRE-PROOFING.
- (16) 2 1/2" 25 GAUGE METAL CHANNEL STUDS AS SHOWN.
- (17) 2 1/2" 25 GAUGE METAL CHANNEL STUDS 24" O.C.
- (18) 2 1/2" 25 GAUGE METAL CHANNEL STUDS 16" O.C.
- (19) 2 1/2" 25 GAUGE METAL CHANNEL STUDS 12" O.C.
- (20) 2 1/2" 25 GAUGE METAL CHANNEL RUNNERS, FASTEN TO CEILING FRAMING 12" O.C. OR TO TRUSSES AT 48" O.C. MAX.
- (21) 2 1/2" 25 GAUGE METAL CHANNEL RUNNERS, FASTEN TO FLOOR SLAB, 24" O.C. SEE NOTE (78).
- (22) 2 1/2" 25 GAUGE METAL CHANNEL RUNNER SECURED TO EXISTING CHANNEL HEAD, FASTEN 12" O.C. OR AS SHOWN.
- (23) 3 1/2" 25 GAUGE METAL CHANNEL RUNNERS, FASTEN TO EXISTING FRAMING AT 16" O.C.
- (24) 1 1/2" x 5/8" ANGLE TRIM, 25 GAUGE.
- (25) 1 1/2" x 5/8" ANGLES, 2 EA. 25 GAUGE, BACK TO BACK ALL AROUND, SECURE AS SHOWN.
- (26) 3 1/2" 25 GAUGE METAL CHANNEL RUNNERS, FASTEN TO EXISTING FRAMING BEFORE INSTALLING CHANNEL STUDS WRAP TOP AND BOTTOM OF STUDS WITH ELECTRICAL TAPE TO ISOLATE METAL FROM METAL.
- (27) PROVIDE "L" SHAPED MOULDING FOR CEILING TILE, BOTH SIDES.
- (28) CORNER BEADS.
- (29) STUD SHIM.
- (30) STAGGER SELF-TAPPING SCREWS.
- (31)
- (32)
- (33)
- (34) EXISTING METAL DECK.
- (35) EXISTING CONCRETE SLAB.
- (36) EXISTING SOFFIT.
- (37) EXISTING CEILING.
- (38) EXISTING FLOOR.
- (39) EXISTING FIREPROOFING.
- (40) EXISTING WINDOW MULLION.
- (41) EXISTING CONVECTOR COVER.
- (42) EXISTING TRUSS.
- (43) EXISTING BRIDGING.
- (44)
- (45)
- (46) 4" RUBBER BASE.
- (47) VALANCE.
- (48) TRACK.
- (49) HANGER.
- (50) SILENCERS.
- (51) METAL GUIDE.
- (52) BATT INSULATION.
- (53)
- (54) BANK HIGH PARTITION FLOOR ANCHOR LOCATE AT FREE ENDS & 4'-0" O.C. MAXIMUM, SIMILAR AND EQUAL TO ADS 007 AS MANUFACTURED BY AMERICAN DETAIL SUPPLY, FLUSHING, NEW YORK.
- (55) KW700 HEADER, CONTINUOUS WHERE POSSIBLE.
- (56) FOAM FILLER.
- (57) KW700 PANELS, ATTACH TO 2 1/2" METAL STUDS AT 24" O.C.
- (58) KWA-700 ALUM CHANNEL CONTINUOUS WHERE POSSIBLE, MITER CORNERS.
- (59)
- (60) SEE DRAWING A-1 FOR CLOSET SHELF AND CLOTHES POLE SPECIFICATIONS.
- (61) METAL SLIDING DOORS.
- (62) HOLLOW METAL FRAME.
- (63)
- (64) TEMPERED CLEAR GLASS.
- (65) TEMPERED CLEAR GLASS WITH 14 GAUGE HOLLOW METAL FRAME.
- (66) SHELF STANDARD WITH BRACKET, FASTEN WITH TOGGLE BOLTS 12" O.C. INTO STUDS.
- (67) SHELVES, 3/4" TH. COMPOSITION BOARD, ALL SURFACES OF PLASTIC LAMINATE, MAT WHITE.
- (68)
- (69) CONTINUOUS NEOPRENE TAPE ON MULLION.
- (70) CERAMIC TILE, THIN SET. SEE PLANS FOR SPECIFICATIONS.
- (71) 3 PLY MEMBRANE WATER-PROOFING, RETURN UP 4" AT WALLS.
- (72) SEE PLANS FOR OVERALL DIMENSIONS.
- (73) 2" RICH GROUT WITH 6x6x10x10 W.W.M.
- (74)
- (75) REMOVE EXISTING CEILING AS REQUIRED TO ALLOW NEW CONSTRUCTION PENETRATION, REPLACE TILES AND EDGE ANGLE AS SHOWN.
- (76) REMOVE AND REPLACE CEILING TILES FOR ACCESS.
- (77)
- (78) DO NOT FASTEN STUD TO TOP CHANNEL RUNNERS. (IN ALL RATED WALLS - DO NOT SECURE GYP. BOARD TO TOP CHANNEL RUNNER).

DETAIL NO'S. USED ON THIS SHEET


(2) (14) (19) (22) () () ()

DETAILS ARE NOT TO SCALE.



RELEASED FOR BIDDING
BY *[Signature]* DATE 3-5-80

RELEASED FOR CONSTRUCTION
BY *[Signature]* DATE 3/21/80
MANAGER, WTC PLANNING DIVISION



THE PORT AUTHORITY OF NY & NJ
THE WORLD TRADE CENTER
TOWER A 98TH FLOOR
TANGENT INTERNATIONAL
CONSULTANTS, INC.

ARCHITECTURAL
PARTITION SECTIONS
AND DETAILS

CONTRACT NO. WTC-577.199 DRAWING NO. A-3

REVISIONS							
NO.	DATE	APPD.	DESCRIPTION	NO.	DATE	APPD.	DESCRIPTION

[Signature]
ENGINEER OF DESIGN
AIRPORTS & WTC

[Signature]
CHIEF ARCHITECT-DESIGN

FEB. 26, 1980
DATE

THIS DRAWING IS THE PROPERTY OF THE PORT AUTHORITY OF NY & NJ. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN. IT IS NOT TO BE REPRODUCED, COPIED, OR IN ANY MANNER USED FOR ANY OTHER PROJECT WITHOUT THE WRITTEN CONSENT OF THE PORT AUTHORITY OF NY & NJ. THE PORT AUTHORITY OF NY & NJ ASSUMES NO LIABILITY FOR ANY ERRORS OR OMISSIONS IN THIS DRAWING. THE DESIGNER AND ARCHITECT ASSUME RESPONSIBILITY FOR THE ACCURACY AND COMPLETENESS OF THIS DRAWING.